




AKC ILLUSTRATED STANDARD



AHT Illustrated Standard


- § All drawings are copyrighted to the AHTA, Inc. and may not be reprinted/copied or altered in any manner without written permission. Written permission granted for use with the AKC Illustrated Standard to the AHTCA, Inc..
- § Illustrator: Jeanne Argostar (<u>www.argostar.com</u>)
- § Please Note: The drawings represent the "Ideal".
- Solution As you see the breed in the ring please keep in mind this is still a "work in progress" and we have not yet met our Ideal dog.

THE AMERICAN HAIRLESS TERRIER

- The American Hairless Terrier is a small to medium sized, smoothly muscled and active terrier.
- The American Hairless Terrier comes in both a hairless and a coated variety.
- The first known American Hairless Terrier was born into a litter of purebred Rat Terriers reportedly in 1971. A subsequent litter from the same parents produced, a female named Josephine, born in 1972. The breeder, Edwin Scott, began to develop the breed from Josephine's descendants.
- Ancestors of the breed were bred to hunt rats and other vermin. The lack of hair coat on the hairless variety of the American Hairless Terrier renders them unsuited for most hunting activities. They have, however, retained a strong hunting instinct and excel in many other activities and sports.
- The breed is energetic, alert, curious and intelligent.
- Given early socialization and training they excel as companions, displaying great affection for their owners and family.
- American Hairless Terriers should not be sparred during conformation judging.


Breed Characteristics

• The American Hairless Terrier is an energetic, alert dog whose curiosity and intelligence make him easy to train.



Characteristics cont.

- The ancestors of this breed were bred to hunt.
- The lack of coat makes the hairless variety unsuited for hunting, but both varieties still have a strong hunting instinct.
- •Their desire to please and trainability helps them to excel in performance events.



The dog pictured above is a coated carrier with a docked tail.


Characteristics cont.


The American Hairless Terrier will excel as a companion, given early socialization and training, displaying great affection for their owners and family.

American Hairless Terriers enjoy human companionship immensely and will enthusiastically share any activity with their owners.
 The hairless dogs require protection from the sun and winter cold weather.
 American Hairless Terriers should not be sparred during conformation


judging.

The breed is energetic, alert, curious and intelligent. Aggressiveness or extreme shyness is to be faulted.





IDEAL MEASUREMENTS FOR THE AHT



- Ideal height is from 12 to 16 inches at the withers.
- Body is rectangular being slightly longer than tall with a 10:9 ratio when measured from the prosternum to point of buttocks and from withers to the ground.
 - Substance: Medium bone, not so heavy as to appear coarse or so light as to appear racy and blends with the proportion of the dog.
- Overall appearance is strong but moderate with firm, smooth, flat muscles.
- While correct size is very important, it should not outweigh that of type.

Too heavy or too light in bone and obesity are to be faulted.

Ideal Head - Front View

Expression is alert, curious and intelligent. Viewed from the front or side the head forms a blunt wedge shape and is proportionate to the size of the body. The skull is broad, slightly domed and tapers slightly toward the muzzle. Skull and muzzle are of equal length with a moderate stop.



Ideal AHT Head

- Skull is broad and slightly domed. It tapers slightly toward the muzzle. Jaws are powerful with well-muscled cheeks.
- Ears are set at the outside edges of the skull and are Vshaped.
- Nose The nose is solid-colored and can be black or selfcolored.



• MUZZLE – The muzzle is well filled under the eyes, tapers slightly from the stop to the nose and is well chiseled.

Jaws are powerful with well muscled cheeks. Lips are tight, dry, without flews.

Pigmentation of the lips match the nose.

Serious Fault: Apple head

Ideal AHT Head cont.

Hairless and Coated varieties

NOSE – The nose is solid colored and can be black or selfcolored.

Abrupt stop, snipey muzzle and a dudley or butterfly nose are to be faulted




- EYES Eyes are expressive, set obliquely, round, somewhat prominent but moderate in size, and of matching color.
- **Eye color varies** with body color from darkest brown to amber and hazel.
- When eyes are brown, a darker brown is preferred.
- Amber eyes are permissible for a blue dog.
- Blue eyes are acceptable in blue and blue fawn dogs only but gray is preferred.
- **Eye rim pigmentation** corresponds with the nose color.
- An incomplete eye rim is only acceptable when the color around the eye is white.

Ideal Head - Side View

- The head is proportionate to the size of the body.
- When viewed from the side, the skull and muzzle are of equal length and joined by a moderate stop.





Skull

- The skull is broad and slightly domed and tapers slightly toward the muzzle.
- Serious Fault: Apple Head





Ideal Head

Muzzle


- The muzzle is well filled under the eyes, tapers slightly from the stop to the nose and is well chiseled.
- Jaws are powerful with well muscled cheeks.
- Lips are tight, dry, without flews.
- Lip pigment matches nose pigment.

Ideal Head





Fault: Abrupt stop, snipey muzzle, dudley nose, butterfly nose



Nose/Teeth


- NOSE The nose is black or self-colored.
- Bite: The teeth are white and strongly developed meeting in a scissors bite. A level bite is acceptable. Overshot or undershot bite should faulted.



Bite Faults: Overshot or undershot bite - Nose Faults: Butterfly nose, Dudley nose

Nose cont.

**Nose pigment can help you determine the color genetics of your dog.



EYES

- **Eyes** are **expressive**, **set obliquely**, **round**, somewhat prominent but moderate in size, and of **matching color**.
- **Eye color varies with body color** from darkest brown to amber and hazel.
- When eyes are brown, a darker brown is preferred.
- Amber eyes are permissible for a blue dog.
- Blue eyes are acceptable in blue and blue fawn dogs only but gray is preferred.
- Eye rim pigmentation corresponds with the nose color.
- An incomplete eye rim is only acceptable when the color around the eye is white.



Acceptable Ear Carriages







Tipped Ears



Button Ears

- Ears are set at the outside edge of the skull and are V-shaped.
 Erect ears are preferred, however tipped or button ears are acceptable.
 Both ears should match in carriage.
- Faults: Rose ears, flying ears, erect ears with sides curved inward forming a tulip petal shape and non-matching ear carriages.
- DQ: Hanging ears.

EAR FAULTS



Mismatched Ears



High Ear set



Rose Ears



Wide Ear set




Rose Ears -Side View



Hanging Ears


Disqualification

PROPERLY SCALED SKELETON FOR THE AMERICAN HAIRLESS TERRIER




- The importance of angulation cannot be overemphasized when evaluating gait.
- Solution
 The most significant angles are at the shoulder and hip joints.
- S These joints counterbalance one another as they lift, open and shut with the swing of the limbs.
 - The front of the dog normally carries about 60% of the total body weight and works like a shock absorbing mechanism as it coordinates with drive from the rear and absorbs impact with the ground.

Forequarters




- The shoulder blades are well laid back with the upper tips fairly close together at the withers.
- The upper arm appears to be equal in length to the shoulder blade and joins it at an apparent right angle.
- The elbows are close to the body.
- Viewed from any angle, the forelegs are straight, strong, and sturdy in bone.
- The pasterns are strong, short, and nearly vertical.

SKELETON FITTING CORRECTLY INTO THE AHT BODY



- Whether viewed from the side or from front or rear, the action should be smooth and harmonious with no twisting or jerking.
- Problems arise when one part has to overwork or compensate for lack of balance, injury or weakness in another.
- It is important to note that excessive angulation in any part of a dog's body is detrimental to joint support and endurance.
- It is **never** a question of the more...


AHT Body



A properly proportioned American Hairless Terrier is slightly longer than tall and length of the front leg (measured from point of elbow to the ground) should approximately equal one-half of the dog's height.


Topline

- The line of the back is strong and level when the dog is standing or moving.
- The tail comes off the end of the croup, almost reaches the hock and is thick at the base, tapering toward the tip.



AHT Body IDEAL STANDING BITCH

The neck is clean, moderately long, smoothly muscled slightly arched and tapers slightly from the shoulders to the head, blending smoothly into well laid back shoulders.



The loin is moderately short, slightly arched, and muscular, with moderate tuck-up.

The croup is slightly sloping.


The ribs extend well back and are well sprung out from the spine, forming a broad, strong back, then curving down and inward to form a deep body.

The brisket extends to or just below the elbow.

AHT BODY

IDEAL STANDING DOG

- The **forechest** extends in a **shallow oval shape** in front of the forelegs.
- The line of the back is strong and level when the dog is standing or moving.
- The tail is held upward in a slight curve when the dog is alert and may be carried out behind the dog or up in a slight curve when the dog is in motion.
- The tail of the hairless variety should never be docked.
- § Tail docking on the coated variety is permitted and optional.



Faults: Bent tail, ring tail or curled tail

DQ: Bobtail or docked tail on the hairless variety

IDEAL FRONT



- Viewed from the front, the chest between the forelegs is well filled and of moderate width.
- Feet are slightly oval in shape and compact. The two middle toes are slightly longer than the other toes. Toes may be well split up but the foot is not flat or splayed.
- Removal of front declaws is optional but rear declaws must be removed.


Faults: Flat feet, splayed feet or rear declaws present.

IDEAL REAR



- The HINDQUARTERS are muscular with the length of the upper and lower thighs being approximately equal.
- The angulations of the hindquarters is in balance with the angulations of the forequarters.
- The stifles are well-bent, and the hocks are well let down. When the dog is standing, the short, strong rear pasterns are perpendicular to the ground and, viewed from the rear, parallel to one another.


Body Faults



Lack of Depth to Chest



Short in Body




Long in Body

Top line Faults




Roach Back



Sway Back




Fiddle Front




Wide front


Standing Front Faults



Toes in **Toes Out**




Out at the Elbows



Narrow Front

HOCKS



Cow Hocks or Bow Hocks

Frequently a clever handler can conceal cow hocks or bow hocks by deft manipulation when stacking a dog. These structural faults are revealed, however, when the dog is being gaited The **FEET** are **compact** and **slightly oval** in shape. The **two middle toes are slightly longer than the other toes.** Toes may be well split up but not flat or splayed. Front dewclaws may be removed. Rear dewclaws must be removed.

Correct Feet (left side) Foot Faults (right side)



Flat Feet



Correct Foot - Side View




Cat foot



Correct Foot – Front View

Faults: Flat feet; splayed feet; rear dewclaws present.

Coated Variety with Tail




DQ: A wire, broken or long coat

Coated Variety – Docked Tail

- In the conformation ring, an excellent coated specimen should be equally considered.
- The best specimen for type, coated or hairless, should be rewarded accordingly.

A docked tail is a DQ in the hairless variety. However, docked or full tail is equally acceptable in the coated variety.




COAT- Hairless Variety




- Hairless Variety: Puppies are born with a soft, vestigial "down" known as the "birth coat".
- This generally covers the body but diminishes over time and puppies should be completely hairless by approximately 8 - 10 weeks of age.
- A mature hairless dog should be free of hair with the exception of whiskers and guard hairs on the eyebrows and muzzle.
- Short, very fine (vellus) hair may be present on the body of a mature dog.
- The skin is smooth and warm to the touch.
- DQ: A wire, broken or long coat

COAT- Coated Variety




Correct Tail Set

- The tail is set on at the end of the croup.
- The natural tail is thick at the base and tapers toward the tip.
- When the dog is alert, the tail is carried in an upward curve.
- When moving, the tail may be carried straight out behind the dog.
- The tail of the coated variety may be docked.




Incorrect Tail Sets



- Outline of the croup and set-on of the tail is influenced by the slant of the pelvis and affected by the arch, dip or straightness of the lumbar section of the spinal column.
- Faults (both varieties) Bent tail; ring tail
- Disqualification (both varieties) Natural Bobtail


Importance of Good Angulation




- Good
 angulation
 facilitates a
 long stride.
- § Balance facilitates good foot timing.

PROPERLY PROPORTIONED MOVING AHT

- Whether the dog is standing or moving, the line of the back is strong and level.
- The loin is moderately short, slightly arched, and muscular with moderate tuck-up.
- The croup is slightly sloping.



Ideal Dog With Angles Shown




- S A COMMON METHOD for evaluating the slant of the bones in the forequarters is to take a line from the uppermost edge of the scapula to the front most prominence of the humerus (the point of shoulder), then take another line from there to the elbow.
- S AS A GENERAL RULE, the distance between these points of reference should look or feel about equal, and if the front is balanced the elbow will be set approximately on a line dropped from the rearmost angle of the scapula.

Ideal Dog With Angles Shown, cont.


Another way to measure this angle is to feel the ridge of the scapula, and to determine the angle between this ridge and the slant of the humerus (measured from its upper center to its lowest end (not the elbow).

These latter measurements differ from the first procedure and will give the impression of less shoulder layback and a greater angle between shoulder and humerus, but the findings are more realistic as to the actual bone placement and joint angles




PROPERLY PROPORTIONED MOVING AHT

- The ribs extend well back and are well sprung out from the spine, forming a broad, strong back, then curving down and inward to form a deep body.
- The brisket extends to or just below the elbow.
- Fore chest extends in a shallow oval shape in front of the forelegs.
- The loin is moderately short, slightly arched, and muscular, with moderate tuck-up.
- The croup is slightly sloping.



IDEAL MOVING DOG

IDEAL MOVING BITCH




- Whether the dog is standing or moving, the line of the back is strong and level.
- A dog with good angles and balance will have joints that flex easily and smoothly, providing strong thrust from the rear and spring and resilience in the front.



Ideal Moving Front

- Movement is smooth and effortless, showing good reach and drive.
- Solution For Specific Street Specific Specifi
- This breed moves smoothly but with a jaunty attitude that suggests a dog of agility, power and speed.
- Solution
 The legs do not turn in or out and the feet do not cross or interfere with each other.
- S As speed increases, feet tend to converge toward centerline but do not cross.




This better demonstrates the action of the muscles and bones in the shoulder area as the leg moves accordingly.




Ideal Moving Rear

- The rear drives with power and with hocks fully extending.
- Viewed from any position, legs turn neither in nor out, nor do feet cross or interfere with each other.
- As speed increases, feet tend to converge toward center line of balance.



- Same rear movement with boxes and lines over it showing the straight column and "landing points."
- § The foot fall depicts the dog moving at a medium trot with the fall converging toward the center line at the closest point of fall.

Over Angulated




Over angulated with angles shown




Over Angulated

- The length and slope of the pelvic assembly can be approximated by taking a line from the forward edge of the pelvis (ilium) to the buttock (ischium).
- Pelvic slope and outline of the croup are not one and the same.
- While the outline of the croup and set-on of the tail may be influenced by the slant of the pelvis, the outline may be more affected by the arch, dip or straightness of the lumbar section of the spinal column.
- The angle between the lower thigh and the rear pastern (the hock joint) is also significant.
- The rear pastern should drop vertically, however, if the hock angle is too great (straight in hock), the rear pastern will slope backwards, and if the hock angle is too small (sickle hocks), it causes the dog to stand under itself.

Straight Front and Straight Rear




A dog that is straight, front and rear, has a short, stilted gait, BUT, IF IN BALANCE, may be better off than a dog lacking balance, where one end has to compensate for the faultiness of the other.




- The entire front is straightened, so withers, shoulder, angles, and entire front placement is changed. The multiple angles in the rear are also changed.
- Very important thing to illustrate because it shows you how many things actually are changed by these faults.


Side Movement Faults



Hackney Gait in Front with Piston Action in Rear




Over Reaching



Lack of Reach

Front Hackney Gait & Rear Piston Action




- In order to keep the paws out of the way of the oncoming back feet the dog is forced to resort to extra high action of the forelegs.
- Hackney action is caused by more angulation and drive from behind than in front.
- Correct gait for the Miniature Pinscher, however it is an abnormal movement that requires rather steep shoulder angulations, coupled with upright pasterns.

GOOSE-STEPPING

- Faulty in any breed. Goose-stepping is a movement typified by accentuated lift of the forelimbs, similar in most respects to a hackney gait, but coupled with full extension of the front pasterns and feet before placing them in contact with the ground.
- The dog seems to have good reach, but close observation will reveal that the actual front foot contact with the ground is delayed, and therefore the effective reach is considerably shorter.

Over Reaching




- Solution Observable in profile and especially when moving fast, in which the hind feet are thrust past their front counterparts.
- Overreaching at the trot is a common fault.
- Section Caused by more angulation and drive from behind than in the front.
- So that the rear feet are forced to step to one side of the front feet to avoid interference or clipping.
- This is one of the many forms of poor foot timing, but it must not be confused with the natural overreach in the suspension trot, or in the canter or gallop.

Overreaching in Puppies

- Solution of the open section of the open se
- § As the puppy develops and the body proportions come into balance, the overreaching ceases.

Lack of Reach



A dog with a shortened stride has poor angulations because the bones meeting at the shoulders and hips are steeply set, forming joints with wide angles



Front Movement Faults

Paddling is incorrect and energy wasting movement of the forequarters in which the pasterns and feet perform circular, exaggerated motion, turning or flicking outwards at the end of each step.

• Crabbing or Side Winding is faulty forward movement in which the spinal column is not pointed in the direction of travel, rather, it deviates at an angle so that one rear leg passes on the inside of the front foot, while the other does so on the outside of its partner, instead of traveling in a straight line with them.



Crossing over is an abnormality of gait in which the feet when extended cross over in front of one another as well as over an imaginary center line drawn under the body.



Rear Movement Faults



When moving close, the fore or hind limbs are insufficiently well separated from each other during movement, and, in extreme cases, the legs may interfere by brushing up against one another along their inner borders.



Height and Weight

- The ideal height of the American Hairless Terrier ranges from 12 to 16 inches.
- While correct size is very important, it should not outweigh that of type.
- Faults: Too heavy or too light in bone and obesity.

Disqualifications

- Unilateral or bilateral cryptorchid
- Viciousness or extreme shyness
- Hanging ears
- Natural bobtail
- Docked tail on the hairless variety
- Wire or broken coat
- Long Coat
- Albinism
- Merle

Color – Hairless Variety

 Any skin color or combination of colors is allowed with the exception of albino and merle.

 When the skin is parti-colored the freckles or spots of contrasting color will enlarge with age, and skin color will darken when exposed to the sun.

Disqualification: Albinism, Merle

Hairless: Black/White




Hairless: Black/Tan/White



Hairless: Black/Tan/White (tipped ears)



Coated: Black/Tan/White (saddle back pattern)



Coated: Black/Tan/White (full tail)




Coated: Black/Tan/White (tipped ears)



Coated: Red Brindle/White




Hairless: Chocolate/White



Hairless: Chocolate/White




Hairless: White/Chocolate



Hairless: White/Apricot



Hairless: White/Apricot



Hairless: Apricot/White (solid pattern)



Hairless: White/Apricot



Hairless: Black Sabled Red (deep tan base)



Hairless: Black Sabled Red

(deep tan base)



Hairless: White/Black Sabled Red/Tan (blanket back pattern with tan)



Coated: Black Sabled Red/White



Hairless: Black Sabled Red/White

(without tan) and cold feet!



Coated: White/Black/Tan



Hairless: White/Black/Tan (ticking and tanned)



Hairless: White/Black




Hairless: White/Black/Tan (with filled in color and tanned)



Hairless: One dog with body color heavily filled in and tan and the other with little ticking



Hairless - White/Black/Tan



Hairless: White/Black/Tan (no tan and often mistaken for blue)



Coated: Blue/Brindled Tan/White




Hairless: Blue/White (tanned)



Hairless: White/Blue (no tan)



Hairless: Black/Tan/White (no tan)



Puppies: Hairless - Black & Blue Newborns

These pictures show true blue is easily distinguished from a black on newborn hairless puppies.





Puppies: Newborn - All Hairless

(BLACK/tan/white); (WHITE/apricot); (APRICOT/white); (BLACK SABLED RED/tan/white); (WHITE/black/tan)




Puppies: Newborn - Mixed Litter

(BLACK/tan/white - coated); (WHITE/black/tan- hairless); (WHITE/black sabled red/tan-hairless); (WHITE/black sabled red/tan-coated)



Puppies (4wks) Littermates Hairless & Coated





Credits

- [Credits: AKC Breed Standard, Elliott, Rachel Page, The New Dogsteps, Second Edition, Howell Book House, New York, 1983. Nicholas, Anna Katherine, The Nicholas Guide to Dog Judging, Howell Book House, New York, 1989. Spira, Harold R., Canine Terminology, First Edition, Howell Book House, New York, 1982.]
- A Special Thank You to the AHTA, Inc. for the use of the Illustrations.